

Message

From: Galloway, Rick (DNREC) [Rick.Galloway@delaware.gov]
Sent: 7/19/2019 7:30:47 PM
To: O'Loughlin, Connor [oloughlin.connor@epa.gov]
CC: Salahuddin, Qazi (DNREC) [Qazi.Salahuddin@delaware.gov]
Subject: RE: Blades Groundwater - Site Documentation

Connor,

I will have to talk with Qazi to see if he knows the status of the NPL letter. Have a good weekend.

Rick Galloway, P.G.
Hydrologist, Project Manager
Site Investigation & Restoration Section
Dept. Natural Resources and Environmental Control
391 Lukens Drive
New Castle 19720-2774

Ph- 302-395-2614
Fax- 302-395-2601

From: O'Loughlin, Connor [mailto:oloughlin.connor@epa.gov]
Sent: Wednesday, July 17, 2019 8:28 AM
To: Galloway, Rick (DNREC)
Subject: Blades Groundwater - Site Documentation

Rick,

Good morning, attached is an electronic version of EPA Remedial Site Assessment Decision (RSAD) for the Blades Groundwater Plume. The site has been updated in SEMS to reflect the ongoing Site Inspection and upcoming Hazard Ranking System submittals.

I wanted to check to see if DNREC had coordinated a concurrence letter to discuss the NPL listing with the Governor's office?

Thank you very much,

Connor O'Loughlin P.G.
Environmental Protection Agency, Region III
Superfund & Emergency Management Division (SEMD)
Site Assessment Manager, (3SD12)
1650 Arch Street,
Philadelphia, PA 19103-2029
phone 215-814-3304
Cell 412-779-0444